

University of Groningen

Breeding origins of wader populations utilizing the Dutch Wadden Sea, as deduced from body dimensions, body mass, and primary moult

Engelmoer, Meinte

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:
2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Engelmoer, M. (2008). *Breeding origins of wader populations utilizing the Dutch Wadden Sea, as deduced from body dimensions, body mass, and primary moult.* s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



REFERENCES





- Albers, C.J., Schaafsma, W., F., G. de Roos & M. Engelmoer. In preparation. Estimating typicality probabilities by creating distributional inferences with applications to ornithology.
- Alerstam, T. 1990. Bird Migration. Cambridge University Press, Cambridge, U.K.
- Alerstam, T., M. Rosén, J. Bäckman, P.G.P. Ericson, O. Hellgren. 2007. Flight speeds among bird species: allometric and phylogenetic effects. *PLoS biology*, 8/e197:1656-1992.
- Altenburg, W., E. Wymenga & L. Zwarts (eds.). 1992. Ornithological importance of the coastal wetlands of Guinea-Bissau. WIWO report 26. WIWO Foundation, Zeist.
- American Ornithologists' Union, 1957. Check-list of North American birds. Baltimore.
- Atkinson, P.W. 1996. The origins, moult, movements and changes in numbers of Bar-tailed Godwits *Limosa lapponica* on the Wash, England. *Bird Study* 43: 60-72.
- Atkinson, P.W., A.J. Baker, R.M. Bevan, N.A. Clark, K.B. Cole, P.M. Gonzalez, J. Newton, L.J. Niles & R.A. Robinson. 2005. Unravelling the migration and moult strategies of a long-distance migrant using stable isotopes: Red Knot *Calidris canutus* movements in the Americas. *Ibis* 147: 738-749.
- Bainbridge, I.P. & C.D.T. Minton. 1978. The migration and mortality of the Curlew in Britain and Ireland. *Bird Study* 25: 39-50.
- Balachandran, S., Hussain, S.A. & L.G. Underhill. 2000. Primary moult, biometrics, mass and age composition of Grey Plovers *Pluvialis squatarola* in southeastern India. *Bird Study* 47: 82-90.
- Baker, A.J., T. Piersma & L. Rosenmeier. 1994. Unravelling the intraspecific phylogeography of Knots *Calidris canutus*: a progress report on the search for genetic markers. Pages 39-45 in T. Piersma. Close to the edge: energetic bottlenecks and the evolution of migratory pathways in Knots. Ph. D. thesis, Univ. of Groningen, The Netherlands.
- Bakken, V., O. Runde & E. Tj rve. 2003. Norsk ringmerkingsatlas. Vol. 1. Stavanger Museum, Stavanger.
- Barrett, J. & C. Barrett. 1986. Notes on the biometrics and egg measurements of breeding Dunlins in Sutherland, Scotland. *Wader Study Group Bull.* 46: 29-30.
- Barter, M.A. 1985. Sex determination by bill length of live adult Curlew Sandpipers *Calidris ferruginea*. *Stilt* 7: 8-17.
- Battley, P.F., T. Piersma, M.W. Dietz, S. Tang, A. Dekinga & K. Hulsman. 2000. Empirical evidence for differential organ reductions during trans-oceanic bird flight. *Proc. R. Soc. Lond. B* 267: 191-195.
- Bearhop, S., R. Griffiths, K. Orr & R.W. Furness. 1999. Mean corpuscular volume (MCV) as a measure of condition in birds. *Ecology letters* 2: 352-356.
- Belik, V.P. 1998. Current population status of rare and protected waders in south Russia. p. 273-281. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on north Asian, African and European flyways. *International Wader Studies* 10:273-281.



- Benthem, W. 1981. Geografische herkomst en ruibeschrijving van de Rosse Grutto *Limosa lapponica* L. in de Nederlandse Waddenzee. Student Report, Free University, Amsterdam.
- Berg, Å. 1992. Habitat selection by breeding Curlews *Numenius arquata* on mosaic farmland. Ibis 134:355-360.
- Blew, J. & P. Südbeck (eds.). 2005. Migratory waterbirds in the Wadden Sea 1980-2000. Wadden Sea Ecosystem No. 20. Trilateral Monitoring and Assessment Group, Common Wadden Sea Secretariat, Wilhelmshaven, Germany.
- Blokhin, A.Y. 1998. Breeding wader populations on the marine coasts of north-eastern Sakhalin. p. 221-224. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on north Asian, African and European flyways. International Wader Studies 10: 221-224.
- Blomert, A.-M., M. Engelmoer & Y. Ntiama-Baidu. 1990. The Banc d'Arguin, Mauritania, as a meeting point for Avocets during spring migration. Ardea 78: 193-208.
- Blomert, A.-M., B.J. Ens, J.D. Goss-Custard, J.B. Hulscher & L. Zwarts. 1996. Oystercatchers and their estuarine food supplies. Ardea 84A: 1-538.
- Blomqvist, D., M. Andersson, C. Küpper, I.C. Cuthill, J. Kis, R.B. Lanctot, B.K. Sandercock, T. Székely, J. Wallander, B. Kempnaers. 2002. Genetic similarity between mates and extra-pair parentage in three species of shorebirds. Nature 419: 613-615.
- Bock, W.J. 1959. The status of the Semipalmated Plover. Auk 76: 98-100.
- Boer, P. de, B. Koks, M. van Roomen & E. van Winden. 2001. Watervogels in de Nederlandse Waddenzee in 1997/98 en 1998/99. SOVON-monitoringrapport 2001/04. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.
- Boere, G.C. 1976. The significance of the Dutch Wadden Sea in the annual life-cycle of arctic, subarctic and boreal waders. Part 1. The function as a moulting area. Ardea 64: 210-291.
- Boere, G.C. & P.M. Zegers. 1974. Wadvogeltelling in het Nederlandse Waddengebied in juli 1972. Limosa 47: 23-28.
- Boere, G.C. & P.M. Zegers. 1975. Wadvogeltellingen in het Nederlandse Waddengebied in april en september 1973. Limosa 48: 74-81.
- Boere, G.C. & P.M. Zegers. 1977. Wadvogeltellingen in het Nederlandse Waddengebied in 1974 en 1975. Watervogels 2: 161-173.
- Boere, G.C., J.W.A. de Bruijne & E. Nieboer. 1973. Onderzoek naar de betekenis van het Nederlandse Waddengebied voor Bonte Strandlopers *Calidris alpina* in nazomer en herfst. Limosa 46: 205-227.
- Boere, G.C., C.S. Roselaar & M. Engelmoer. 1984. The breeding origins of Purple Sandpipers *Calidris maritima* present in The Netherlands. Ardea 72: 101-109.
- Boere, G.C., C.A. Galbraith & D.A. Stroud (eds.). 2006. Waterbirds around the world. The Stationery Office, Edinburgh, UK.



- Boogerd, A. 2005. Van Droge Kennis naar Natte Natuur - de interactie tussen natuurwetenschap en beleid over verdroging. Eburon, Delft.
- Boudewijn, T.J. & B.S. Ebginge. 1994. General review. In: J. van Nugteren (ed.). Brent Geese in the Wadden Sea. Waddenvereniging, Harlingen.
- Boyd, H. & T. Piersma. 2001a. Changing balance between survival and recruitment explains population trends in Red Knots *Calidris canutus islandica* wintering in Britain, 1969-1995. *Ardea* 89:301-317.
- Boyd, H. & T. Piersma. 2001b. Why do few Afro-Siberian Knots *Calidris canutus canutus* now visit Britain? *Bird Study* 48: 147-158.
- Boyd, H. & Æ. Petersen. 2006. Spring arrivals of migrant waders in Iceland in the 20th century. *Ringling & Migration* 23: 107-115.
- Branson, N.J.B.A. & C.D.T. Minton. 1976. Moults, measurements and migrations of the Grey Plover. *Bird Study* 23: 257-266.
- Branson, N.J.B.A., E.D. Ponting & C.D.T. Minton. 1978. Turnstone migrations in Britain and Europe. *Bird Study* 25: 181-187.
- Brenning, U. 1989. Der Zug des Alpenstrandläufers (*Calidris alpina*) auf der Grundlage von Beringungen, Wiederfinden und Kontrollen in der DDR. *Ber. Vogelwarte Hiddensee* 9: 16-38.
- Browning, M.R. 1977. Geographic variation in Dunlins *Calidris alpina* of North America. *Can. Field-Nat.* 91:391-393.
- Browning, M.R. 1991. Taxonomic comments on the Dunlin *Calidris alpina* from northern Alaska and eastern Siberia. *Bull. Br. Ornithol. Club* 111: 140-145.
- Bruin, R. de, W. Schaafsma, A.G.M. Steerneman & G.N. van Vark. 2001. Size and shape as linear combinations of untransformed measurements. *Communications in Statistics: Theory and Methods* 30: 1695-1714.
- Bruin, R. de, M. Engelmoer, G. de Roos, W. Schaafsma & G.N. van Vark. In prep. Specifying a statistical concept of size and shape such that application is straight forward.
- Butiev, V.T. & E.A. Lebedeva. 1998. Curlew *Numenius arquata* in the Vologda region of North European Russia. p. 299-302. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North -Asian, African and European flyways. *International Wader Studies* 10.
- Butler, R.W., T.D. Williams, N. Warnock & M.A. Bishop. 1997. Wind assistance: a requirement for migration of shorebirds? *Auk* 114: 456-466.
- Byrkjedal, I. & D.B.A. Thompson. 1998. Tundra Plovers: the Eurasian, Pacific and American Golden Plovers and Grey Plover. T & AD Poyser, London.
- Camphuysen, C.J. 1998. Olievervuiling en olieslachtoffers in Nederland, 1997/98. *Sula* 12: 41-72.
- Camphuysen C.J., B.J. Ens, D. Heg, J.B. Hulscher, J. van der Meer & C.J. Smit. 1996. Oyster-catcher winter mortality in The Netherlands: the effect of severe weather and food supply. *Ardea* 84a: 469-492.



- Camphuysen, C.J., C.M. Berrevoets, H.J.W.M. Cremers, A. Dekinga, R. Dekker, B.J. Ens, T.M. van der Have, R.K.H. Kats, T. Kuiken, M.F. Leopold, J. van der Meer & T. Piersma. 2002. Mass mortality of Common Eiders (*Somateria mollissima*) in the Dutch Wadden Sea. Winter 1999/2000: starvation in a commercially exploited wetland of international importance. *Biological Conservation* 106: 303-317.
- Castro, G. & J.P. Myers. 1989. Flight range estimates for shorebirds. *Auk* 106: 474-476.
- Clapham, C. 1978. The Ringed Plover populations of Morecambe Bay. *Bird Study* 25: 175-180.
- Clark, N.A. 1983. The ecology of Dunlin (*Calidris alpina* L.) wintering on the Severn Estuary. PhD thesis, University of Edinburgh.
- Clark, J.A., S.R. Baillie, N.A. Clark & R.H.W. Langston. 1993. Estuary wader capacity following severe weather mortality. BTO Res. Rep. 103. British Trust for Ornithology, Thetford.
- Clark, J.A., N.A. Clark, R.A. Robinson & P.W. Atkinson. 2003. Using adult/juvenile ratios of waders in winter cannon net catches in Britain & Ireland to measure recruitment. BTO Research Report 344. BTO, Thetford, UK.
- Clark, J.A., R.A. Robinson, N.A. Clark & P.W. Atkinson. 2004. Using the proportion of juveniles in catches to measure recruitment. *Wader Study Group Bull.* 104: 51-55.
- Collier, M., A. Banks, G. Austin, T. Girling, R. Hearn & A. Musgrove. 2005. The Wetland Bird Survey 2003/04 Wildfowl and Wader Counts. BTO/WWT/RSPB/JNCC, Thetford, UK.
- Cramp, S. & K.E.L. Simmons (eds.). 1983. The birds of the western Palearctic. Vol. III. Oxford Univ. Press, Oxford, UK.
- Cranswick, P., J. Worden, R. Ward, H. Rowell, C. Hall, A. Musgrove, R. Hearn, S. Holloway, A. Bnaks, G. Austin, L. Griffin, B. Hughes, M. Kershaw, M. O'Connell, M. Pollitt, E. Rees & L. Smith. 2005. The Wetland Bird Survey 2001-03 Wildfowl and Wader Counts. BTO/WWT/RSPB/JNCC, Thetford, UK.
- Cresswell, W. & D.P. Whitfield. 1994. The effects of raptor predation on wintering wader populations at the Tynninghame estuary, south-east Scotland. *Ibis* 136: 223-232.
- Cuervo, J.J., A.P. M ller & F. De Lope. 2007. Haematocrit is weakly related to condition in nestling Barn Swallows *Hirundo rustica*. *Ibis* 149: 128-134.
- Currie, D. & J. Valkama. 2000. Population density and the intensity of paternity assurance behaviour in a monogamous wader: the Curlew *Numenius arquata*. *Ibis* 142: 372-381.
- Currie, D., J. Valkama, Å. Berg, M. Boschert, K. Norddahl, M. Hänninen, E. Korpimäki, V. Pöyri & O. Hemminki. 2001. Sex roles, parental effort and offspring desertion in the monogamous Eurasian Curlew *Numenius arquata*. *Ibis* 143: 642-650.
- Davidson, N.C. 1983. Formulae for estimating the lean weight and fat reserves of live shorebirds. *Ringling & Migration* 4:159-167.
- Davidson, N.C. 1984. How valid are flight range estimates for waders? *Ringling & Migration* 5: 49-64.
- Davidson, N.C. & J.R. Wilson. 1992. The migration system of European-wintering Knots



- Calidris canutus islandica*. Wader Study Group Bull. 64 Suppl.: 39-52.
- Davidson, N.C., K.B. Strann, N.J. Crockford, P.R. Evans, J. Richardson, L.J. Standen, D.J. Townshend, J.D. Uttley, J.R. Wilson & A.G. Wood. 1986a. The origins of Knots *Calidris canutus* in arctic Norway in spring. *Ornis Scand.* 17: 175-179.
 - Davidson, N.C., J.D. Uttley & P.R. Evans. 1986b. Geographic variation in the lean mass of Dunlins wintering in Britain. *Ardea* 74:191-198.
 - Dekker, D. & R. Ydenberg. 2004. Raptor predation on wintering Dunlins in relation to the tidal cycle. *Condor* 106: 415-419.
 - Delany, S., C. Reyes, E. Hubert, S. Pihl, E. Rees, L. Haanstra & A. van Strien. 1999. Results from the International Waterbird Census in the Western Palearctic and Southwest Asia 1995 and 1996. Wetlands International Publ. 54. Wetlands International, Wageningen.
 - Dement'ev, G. 1939. On the Palearctic Forms of the Grey Plover (*Squatarola squatarola* (L.)). *Ibis* 14: 352-354.
 - Dick, W.J.A. (ed.). 1975. Oxford and Cambridge Mauritanian Expedition 1973-report. University of Cambridge, Cambridge.
 - Dick, W.J.A., M.W. Pienkowski, M. Waltner & C.D.T. Minton. 1976. Distribution and geographical origins of Knots *Calidris canutus*, wintering in Europe and Africa. *Ardea* 64: 22-47.
 - Dick, W.J.A., T. Piersma & P. Prokosch. 1987. Spring migration of the Siberian knots *Calidris canutus canutus*: results of co-operative Wader Study Group project. *Ornis Scand.* 18: 5-16.
 - Dierschke, V. 2003. Predation hazard during migratory stopover: are light or heavy birds under risk? *J. Avian Biol.* 34: 24-29.
 - Dodd, S. 2000. Weight loss in Dunlin *Calidris alpina* over the high tide period. Wader Study Group Bull. 91: 28-29.
 - Dodman, T., C. de Vaan, E. Hubert & C. Nivet. 1997. African waterfowl census 1997. Les Dénombrements Internationaux d'oiseaux d'eaux en Afrique, 1997. Wetlands International, Wageningen.
 - Dolnik, V.R., & V.M. Gavrilov. 1979. Bioenergetics of molt in the Chaffinch (*Fringilla coelebs*). *Auk* 96: 253-264.
 - Drent, R. & T. Piersma. 1990. An exploration of the energetics of leap-frog migration in arctic breeding waders. In: E. Gwinner (ed.) Bird migration: the physiology and ecophysiology. 399-412. Springer-Verlag, Berlin.
 - Eades, R.A. & J.D. Okill. 1976. Weight variations of Ringed Plovers on the Dee estuary. *Ring. & Migr.* 1: 92-97.
 - Eason, D., G.D. Millar, A. Cree, J. Halverson, & D.M. Lambert. 2001. A comparison of five methods for assignment of sex in the takahē (*Aves: orporyio mantelli*). *J. Zoology* 253: 281-292.
 - Ebbsinge, B.S. 1992. Population limitation in arctic-breeding geese. Thesis, University of Groningen, Groningen.
 - Elkins, N. 1983. Weather and bird behaviour. T & AD Poyser, UK.



- Elliott, C.C.H., M. Waltner, L.G. Underhill, J.S. Pringle & W.J.A. Dick. 1976. The migration system of the Curlew Sandpiper *Calidris ferruginea* in Africa. *Ostrich* 47: 191-213.
- Engel, S. 2005. Racing the wind. Water economy and energy expenditure in avian endurance flight. PhD thesis University of Groningen.
- Engelen, A.F.V. van, J. Buisman & F. IJnsen. 2001. A millennium of weather, winds and water in the Low Countries. p. 101-124 in: P.D. Jones, A.E.J. Ogilvie, T.D. Davies, K.R. Briffa. History and climate, memories of the future? Kluwer Acad./ Plenum Publ., New York.
- Engelmoer, M. 1995. The application of discriminant analysis to the morphometrics of waders. Pagina 475-490 in: E.J.M. Hagemeyer & T.J. Verstrael (eds.). Bird Numbers 1992. Distribution, monitoring and ecological aspects. Proc. 12th Int. Conf. IBCC & EOAC, Noordwijkerhout, Nederland.
- Engelmoer, M. & C.S. Roselaar. 1998. Geographical Variation in Waders. Kluwer Acad. Publ., Dordrecht, The Netherlands/ Norwell, U.S.A.
- Engelmoer, M., G.C. Boere & E. Nieboer. 2006. Thirty years of arctic wader monitoring in the Dutch part of the Wadden Sea. In: Boere, G.C., C.A. Galbraith & D.A. Stroud (eds.) Waterbirds around the world. The Stationery Office, UK.
- Ens, B.J. 1992. The social prisoner: causes of natural variation in reproductive success of the Oystercatcher. Thesis University of Groningen, Groningen.
- Ens, B.J., T. Piersma, W.J. Wolff, L. Zwarts (eds.). 1988. Report of the Dutch-Mauritanian project Banc d'Arguin 1985-1986. Joint report PNBA/WIWO/RIN/NIOZ, Texel.
- Ens, B.J., T. Piersma, W.J. Wolff & L. Zwarts (eds.). 1990a. Homeward bound: problems waders face when migrating from the Banc d'Arguin to their northern breeding grounds in spring. Special volume *Ardea* 78.
- Ens, B.J., P. Duiven, C.J. Smit & T.M. van Spanje. 1990b. Spring migration of Turnstones from the Banc d'Arguin in Mauritania. *Ardea* 78: 301-314.
- Ens, B.J., A.C. Smaal & J. De Vlas. 2004. The effects of shellfish fishery on the ecosystems of the Dutch Wadden Sea and Oosterschelde. Alterra Report 1011/ RIVO report C056-04/ RIKZ 2004-031. Alterra, Wageningen.
- Essink, K., C. Dettmann, H. Farke, K. Laursen, G. Lüerßen, H. Marencic, W. Wiersinga (eds.). 2005. Wadden Sea Quality Status Report 2004. Wadden Sea Ecosystem 19. Common Wadden Sea Secretariat, Wilhelmshaven.
- Etheridge, B. & W.G. Taylor. 1982. Biometrics of breeding Dunlins *Calidris alpina* from South Uist. Wader Study Group Bull. 36: 2-3.
- Exo, K.-M. & S. Wahls. 1996. Origin and movements of Grey Plovers *Pluvialis squatarola* ringed in Germany. Wader Study Group Bull. 81: 42-45.
- Exo, K.-M., O. Stepanova. 2000. Ecology of Grey Plovers *Pluvialis squatarola* breeding in the Lena Delta, The Sakha Republic/ Yakutia in 1997: Report on a pilot study. WIWO-report 69. WIWO Foundation, Zeist.



- Exo, K.-M., O. Stepanova. 20001. Biometrics of adult Grey Plovers *Pluvialis squatarola* breeding in the Lena Delta, NE-Siberia (the Sakha Republic, Yakutia). Ring. & Migr. 20: 303-311.
- Fair, J., S. Whitaker & B. Pearson. Sources of variation in haematocrit in birds. Ibis 149: 535-552.
- Ferns, P.N. 1980. The spring migration of Ringed Plovers through Britain in 1979. Wader Study Group Bull. 29: 10-14.
- Ferns, P.N. 1981a. Identification, subspecific variation, ageing and sexing in European Dunlins. Dutch Birding 3: 85-98.
- Ferns, P.N. 1981b. The spring migration of Dunlins through Britain in 1979. Wader Study Group Bull. 32: 14-19.
- Ferns, P.N. 1981c. The spring passage of Turnstones through Britain in 1979. Wader Study Group Bull. 31: 36-40.
- Ferns, P.N. & G.H. Green. 1979. Observations on the breeding plumage and prenuptial moult of Dunlins *Calidris alpina* captured in Britain. Gerfaut 69: 286-303.
- Figuerola, J. & A. Bertolero. 1998. Sex differences in the stopover ecology of Curlew Sandpipers *Calidris ferruginea* at a refuelling area during autumn migration. Bird Study 45: 313-319.
- Fokker, W. 1991. Analyse van terugvangsten van de Bonte Strandloper (*Calidris alpina*) op Schiermonnikoog. Student report Free University, Amsterdam.
- Gilg, O., R. Sane, D.V. Solovieva, V.I. Pozdnyakov, B. Sabard, D. Tsanos, C. Zöckler, E.G. Lappo, E.E. Syroechkovski & G. Eichhorn. 2000. Birds and mammals of the Lena Delta Nature Reserve, Siberia. Arctic 53: 118-133.
- Gils, A.J. van, T. Piersma, A. Dekinga, B. Spaans & C. Kraan. 2006. Shellfish dredging pushes a flexible avian top predator out of a marine protected area. PLOS Biology | www.plosbiology.org 4(12) - e376: 2399-2404.
- Gilyazov, A.S. 1998. Long-term changes in wader populations at the Lapland Nature Reserve and its surroundings: 1887-1991. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10: 170-174.
- Ginn, H.B. & D.S. Melville. 1983. Moults in Birds. BTO Guide 19. BTO, Tring, U.K.
- Gjerdrum, C., A.M.J. Vallée, C. Cassidy St. Clair, D.F. Bertram, J.L. Ryder, G.S. Blackburn. 2003. Tufted Puffin reproduction reveals ocean climate variability. Proc. Natl. Acad. Sci. U.S.A. 100(16): 9377-9382.
- Glutz von Blotzheim, U.N. (ed.). 1975. Handbuch der Vögel Mitteleuropas. Band 6 - Charadriiformes (1. Teil). Akademisches Verlagsgesellschaft, Wiesbaden.
- Glutz von Blotzheim, U.N. (ed.). 1977. Handbuch der Vögel Mitteleuropas. Band 7 - Charadriiformes (2. Teil). Akademisches Verlagsgesellschaft - Wiesbaden.
- Godfrey, W.E. 1986. The birds of Canada. National Museums of Canada, Ottawa.



- Godfrey, W.E. 1992. Subspecies of the Red Knot *Calidris canutus* in the extreme north-western Canadian arctic islands. W.S.G. Bull. 64, Suppl.: 24-25.
- Goede, A.A. & E. Nieboer. 1983. Weight variation of Dunlins *Calidris alpina* during post-nuptial moult, after application of weight data transformations. Bird Study 30: 157-164.
- Goede, A.A., E. Nieboer & P.M. Zegers. 1990. Body mass increase, migration pattern and breeding grounds of Dunlins, *Calidris a. alpina*, staging in the Dutch Wadden Sea in spring. Ardea 78: 135-144.
- Goede, R.G.M. de, J.P. Cronau & J.P.W. Letschert. 1985. Aspecten van de voorjaarsmigratie van de Rosse Grutto *Limosa lapponica* door het oostelijk Waddenzeegebied. Student Report Free University, Amsterdam.
- Goeij, P. de, E. Menkveld & A. Wassink. 2000. Gezenderde Rosse Grutto's op Texel (en over Zweden). Graspieper 20: 57-60.
- Goss-Custard, J.D. (ed.) 1996. The Oystercatcher: from individuals to populations. Oxford University Press, Oxford.
- Goss-Custard, J.D., S.E.A. le V dit Durrell, H. Sitters & R. Swinfen. 1981. Mist nets catch more juvenile Oystercatchers than adults. Wader Study Group Bull. 32: 13.
- Green, G.H. & J.J.D. Greenwood (eds.). 1978. Joint biological expedition to North East Greenland 1974. Dundee.
- Green, M. 2004. Flying with the wind - spring migration of Arctic-breeding waders and geese over South Sweden. Ardea 92: 145-160.
- Green, M., T. Piersma, J. Jukema, P. de Goeij, B. Spaans & J. van Gils. 2002. Radio-telemetry observations of the first 650 km of the migration of Bar-tailed Godwits from the Wadden Sea to the Russian Arctic. Ardea 90: 71-80.
- Greenwood, J.G. 1984. Migration of Dunlin *Calidris alpina*: a worldwide overview. Ringing & Migr. 5: 35-39.
- Greenwood, J.G. 1986. Geographical variation and taxonomy of the Dunlin *Calidris alpina* (L.). Bull. Br. Ornithol. Club 106: 43-56.
- Griffiths, R., M.C. Double, K. Orr, R.J.G. Dawson. 1998. A DNA test to sex most birds. Molecular Ecology 7: 1071-1075.
- Gromadzka, J. 1981. Southeastern autumn migration of Dunlins *Calidris alpina* from the Baltic area. Wader Study Group Bull. 33: 4-5.
- Gromadzka, J. 1983. Results of bird ringing in Poland. Migrations of Dunlin *Calidris alpina*. Acta Orn. 19: 113-136.
- Gromadzka, J. 1985a. Curlew Sandpiper - *Calidris ferruginea* (L.). p. 185-193. In: Ilyichev, V.O., J.A. Viksne & H.A. Michelson (eds.). [Migrations of birds in eastern Europe and northern Asia.] In Russian. Gruiformes, Charadriiformes. Nauka Press, Moscow.
- Gromadzka, J. 1985b. Dunlin - *Calidris alpina* (L.). p. 193-219. In: Ilyichev, V.O., J.A. Viksne & H.A. Michelson (eds.). [Migrations of birds in eastern Europe and northern Asia.]



- In Russian. Gruiformes, Charadriiformes. Nauka press, Moscow.
- Gromadzka, J. 1985c. Knot - *Calidris canutus* (L.). p. 221-229. In: Ilyichev, V.O., J.A. Viksne & H.A. Michelson (eds.). [Migrations of birds in eastern Europe and northern Asia.] In Russian. Gruiformes, Charadriiformes. Nauka Press, Moscow.
 - Gromadzka, J. 1989. Breeding and wintering areas of Dunlin migrating through southern Baltic. *Ornis Scand.* 20: 132-144.
 - Gromadzka, J. & V.K. Ryabitsev. 1998. Siberian Dunlin *Calidris alpina* migrate to Europe: first evidence from ringing. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10: 88-90.
 - Gromadzka, J. & L. Serra. 1998. Differential migration of juvenile and adult Grey Plovers *Pluvialis squatarola* at the mouth of the Vistula River, Poland. *Ornis Fennica* 75: 193-199.
 - Gromadzki, M. 1985. Redshank - *Tringa totanus* (L.). p. 105-123. In: Ilyichev, V.O., J.A. Viksne & H.A. Michelson (eds.). [Migrations of birds in eastern Europe and northern Asia.] In Russian. Gruiformes, Charadriiformes. Nauka press, Moscow.
 - Grosskopf, G. 1963. Weitere Beiträge zur Biologie des Rotschenkels. *Vogelwelt* 84: 65-83.
 - Gudmundsson, G.A. 1994. Spring migration of the Knot *Calidris c. canutus* over southern Scandinavia, as recorded by radar. *J. Avian Biol.* 25: 15-26.
 - Gudmundsson, G.A. & Å. Lindström. 1992. Spring migration of Sanderlings *Calidris alba* through SW Iceland: wherefrom and whereto? *Ardea* 80: 315-326.
 - Gudmundsson, G.A., Å. Lindström & T. Alerstam. 1991. Optimal fat loads and long-distance flights by migrating Knots *Calidris canutus*, Sanderlings *C. alba* and Turnstones *Arenaria interpres*. *Ibis* 133: 140-152.
 - Gunnarsson, T.G. 2006. Monitoring wader productivity during autumn passage in Iceland. *Wader Study Group Bull.* 110: 21-29.
 - Haberer, A. 1994. Sandregenpfeifer (*Charadrius hiaticula* L.) im Schleswig-Holsteinischen Wattenmeer: Rastbestände, Zugverlauf und Biometrie. Diplomarbeit Zoologischen Institut Hannover.
 - Hagemeijer, E.J.M. & M.J. Blair (eds.). 1997. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. T&AD Poyser, London.
 - Hale, W.G. 1971. A revision of the taxonomy of the Redshank *Tringa totanus*. *Zool. J. Linn. Soc.* 50: 199-268.
 - Hale, W.G. 1973. The distribution of the Redshank *Tringa totanus* in the winter range. *Zool. J. Linn. Soc.* 53: 177-236.
 - Hale, W.G. 1980. Waders. The New Naturalist's Series. Collins, London, U.K.
 - Hardy, A.R. & C.D.T. Minton. 1980. Dunlin migration in Britain and Ireland. *Bird Study* 27: 81-92.



- Hartert, E. 1912-21. Die Vögel der paläarktischen Fauna. Berlin.
- Harvey, M.G., D.N. Bonter, L.M. Stenzler & I.J. Lovette. 2006. A comparison of plucked feathers versus blood samples as DNA sources for molecular sexing. *J. Field Ornithol.* 77: 136-140.
- Have, T.M. van der, E. Nieboer & G.C. Boere. 1984. Age-related distribution of Dunlin in the Dutch Wadden Sea. In: Evans, P.R., J.D. Goss-Custard, W.G. Hale (eds). *Coastal waders and wildfowl in winter*. p. 160-176. Cambridge University Press, Cambridge, UK.
- Hayman, P., J. Marchant & T. Prater. 1986. *Shorebirds. An identification guide to the waders of the world*. Croom Helm, London.
- Heath, M.F. & M.I. Evans. 2000. *Important Bird Areas in Europe: Priority sites for conservation*. Vol. I: Northern Europe. BirdLife Conservation Series No. 8. Cambridge, UK.
- Heg, D.H. 1999. *Life history decisions in Oystercatchers*. Thesis University of Groningen, Groningen.
- Heldt, R. 1966. Zur Brutbiologie des Alpenstrandläufers, *Calidris alpina schinzii*. *Corax* 1: 173-188.
- Helseth, A., Å Lindström & M. Stervander. 2005. Southward migration and fuel deposition of Red Knots *Calidris canutus*. *Ardea* 93: 213-224.
- Hildén, O. 1975. Breeding system of Temminck's Stint *Calidris temminckii*. *Ornis Fenn.* 52: 117-144.
- Holmgren, N., H. Ellegren & J. Pettersson. 1993a. The adaptation of moult pattern in migratory Dunlin *Calidris alpina*. *Ornis Scand.* 24: 21-27.
- Holmgren, N., H. Ellegren & J. Pettersson. 1993b. Stopover length, body mass and fuel deposition rate in autumn migrating adult Dunlins *Calidris alpina*: evaluating the affects of moulting status and age. *Ardea* 81: 9-21.
- Holz, R. 1987. Altersmerkmale von Sandregenpfeifern (*Charadrius hiaticula*) der südwestlichen Ostseeküste. *Beitr. Vogelkd.* 33: 233-243.
- Hørring, R. 1939. 6 og 7 Thule Expedition til Sydostgrønland 1931-33. *Medd. Grønland* 108: 1-44.
- Hoyo, J. del, A. Elliott & J. Sargatal (eds.). 1996. *Handbook of the Birds of the World*. Vol. 3: Hoatzin to Auks. Lynx Editions, Barcelona.
- Hulscher, J.B. 1989. Sterfte en overleving van Scholeksters *Haematopus ostralegus* bij strenge vorst. *Limosa* 62: 177-182.
- Hulscher, J.B. 2000. Winterharde wadvogels: over vorstvluchten en elfstedentochten. In: J.M. Tinbergen, J.P. Bakker, T. Piersma & J.M. Van den Broek (eds). *De onvrije natuur. Verkenningen van natuurlijke grenzen* p 170-176. KNNV Uitgeverij, Utrecht.
- Hustings, F. & K. van Dijk. 1994. Bird census in the Kizilirmak Delta, Turkey, in spring 1992. WIWO-report 45. WIWO Foundation, Zeist.
- IJnsen, F. 1988. Het karakteriseren van winters. *Zenith*, February 1988.



- Innes, J.L. (ed.) 1980. Cambridge Norwegian Expedition 1978 Report. Cambridge, England.
- Insley, H. & L. Young. 1981. Autumn passage of Ringed Plovers through Southampton Water. *Ringling & Migr.* 3:157-164.
- Insley, H. & B. Etheridge. 1977. Catching bias in cannon and mist netted samples of Redshanks *Tringa totanus* on the Inner Morey Firth. *Ringling & Migr.* 18: 70-77.
- Johansen, H. 1960. Die Vogelfauna Westsiberiens 10, Limicolae 1. *J. Orn.* 101: 472-495.
- Johansen, H. 1961. Die Vogelfauna Westsiberiens 11, Limicolae 2. *J. Orn.* 102: 41-67.
- Johnson, C. 1985. Patterns of seasonal weight variation in waders on the Wash. *Ringling & Migration* 6:19-32.
- Jönsson, P.E. 1986. The migration and wintering of Baltic Dunlins *Calidris alpina schinzii*. *Vår Fågelvärld Suppl.* 11: 71-78.
- Jönsson, P.E. 1987. Sexual size dimorphism and disassortative mating in the Dunlin *Calidris alpina schinzii* in southern Sweden. *Ornis Scand.* 18: 257-264.
- Kam, J. van de, B. Ens, T. Piersma & L. Zwarts. 1999. Ecologische Atlas van de Nederlandse Wadvogels. Schuyt & Co, Haarlem.
- Kania, W. 1990. The primary moult of breeding Dunlins *Calidris alpina* in the central Taymyr in 1989. *Wader Study Group Bull.* 60: 17-19.
- Kardaun, O.J.W.F, D. Salomé, W. Schaafsma, A.G.M. Steerneman, J.C. Willems & D.R. Cox. 2003. Reflections on some cryptic issues concerning the nature of statistical inference (with discussion). *International Statistical Review* 71: 277-318.
- Kastepold, T.A. 1985. Curlew - *Numenius arquata* (L.). p. 270-275. In: Ilyichev, V.O., J.A. Viksne & H.A. Micheljson (eds.). [Migrations of birds in eastern Europe and northern Asia.] In Russian. Gruiformes, Charadriiformes. Nauka press, Moscow.
- Kats, R.K.H. 2007. Common Eiders *Somateria mollissima* in the Netherlands: the rise and fall of breeding and wintering populations in relation to the stocks of shellfish. PhD thesis. University of Groningen, Groningen.
- Kenward, B., C. Rutz, A.A.S. Weir, J. Chappell & A. Kacelnik. 2004. Morphology and sexual dimorphism of the New Caledonian Crow *Corvus moneduloides*, with notes on its behaviour and ecology. *Ibis* 146: 652-660.
- Kersten, M. 1997. Living leisurely should last longer: energetic aspects of reproduction in the Oystercatcher. Thesis University of Groningen, Groningen.
- Khomenko, S., S. Rosenfeld & S. Dyluk. 1999. Birds of Medusa Bay, NW Taimyr, in 1997. WIWO-report 66. WIWO Foundation, Zeist.
- Kleefstra, R., B. Koks, M. van Roomen & E. van Winden. 2002. Watervogels in de Nederlandse Waddenzee in 1999/2000. SOVON-monitoringrapport 2002/01. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.
- Koffijberg, K., B. Koks, M. van Roomen & E. van Winden. 1999. Watervogels in de Nederlandse Waddenzee in 1996/97, met een samenvattend overzicht van integrale tellingen in 1990/91 -



- 1995/96. SOVON Monitoringrapport 1999/04, IKC coproductie 23. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.
- Koffijberg, K., L. Dijkzen, B. Hälterlein, K. Laursen, P. Potel, P. Südbeck, J. Blew, K. Eskildsen, K. Günther, H.-U. Rösner & M. Van Roomen. 2005. Birds. In: Essink, K., C. Dettmann, H. Farke, K. Laursen, G. Lüerssen, H. Marencic & W. Wiersinga (eds.). Wadden Sea Quality Status Report 2004. Wadden Sea Ecosystem No. 19. Trilateral Monitoring and Assessment Group, Common Wadden Sea Secretariat, Wilhelmshaven, Germany.
 - Koopman, K. 1986. Primary moult and weight changes in Ruffs in The Netherlands in relation to migration. *Ardea* 74: 69-78.
 - Koopman, K. 1987. Vierde verslag van de steltlopergroep F.F.F. (over 1985 en 1986). *Twirre* 10(3). Special issue.
 - Koopman, K. 1992. IJslandse Tureluurs, wat zijn dat? *Op het Vinketouw* 66: 16-19.
 - Koopman, K. 1993. Een bonte strandloper van Jamal, Aziatisch Rusland in de Waddenzee. *NSWG Nieuws* 1: 8.
 - Koopman, K. 1996. Ringen van steltlopers, meeuwen en sterns in 1995. *Twirre* 7(3): 9-13.
 - Koopman, K. 2001. Ringen van steltlopers, meeuwen en sterns in 1999. *Twirre* 12: 125-130.
 - Koopman, K. 2002. Mass, moult, migration and subspecific status of Red Knot *Calidris canutus* on the Frisian Wadden Sea coast, The Netherlands. *Wader Study Group Bull.* 97: 30-35.
 - Koopman, K. & J.B. Hulscher. 1979. Catching waders with a 'wilsternet'. *Wader Study Group Bull.* 26: 10-12.
 - Koopman, K., T. Piersma, A. Timmerman & M. Engelmoer. 1982. Eerste verslag van de Steltlopergroep F.F.F. over de periode 1 juli 1980 - 30 december 1981, met speciale aandacht voor kempfaan en tureluur. *Twirre* special issue may 1982. pp. 38.
 - Koopman, K., E. Wymenga, A. Timmerman, M. Engelmoer. 1985. Tweede verslag van de Steltlopergroep F.F.F., over 1982, met speciale aandacht voor scholekster, *Haematopus ostralegus*, en grutto, *Limosa limosa*. *Twirre* speciaalnummer 1985.
 - Koopman, K., A. Timmerman & M. Engelmoer. 1986. Verslag Steltlopergroep FFF over 1983 en 1984. *Twirre* 3:1-43.
 - Korte, J. de., C.A. Bosman & H. Meltote. 1981. Observations on waders (Charadriidae) at Scoresby Sund, East Greenland. *Medd. Gr nland, Bioscience* 7:4-21.
 - Krupa, R. 1997. Phenology and dynamics of autumn migration of Grey Plover (*Pluvialis squatarola*) through the Gulf of Gdansk in years 1984 - 1995. *Ring* 19: 93-104.
 - Krupa, M. & R. Krupa. 2002. Biometrics and primary moult of the Grey Plover (*Pluvialis squatarola*) caught during autumn migration through the Puck Bay. *Ring* 24: 91-103.
 - Lank, D.B. & R.C. Ydenberg. 2003. Death and danger at migratory stopovers: problems with "predation risk". *J. Avian Biol.* 34: 225-228.
 - Lank, D.B., R.W. Butler, J. Ireland & R.C. Ydenberg. 2003. Effects of predation danger on migration strategies of sandpipers. *Oikos* 103: 303-319.



- Lappo, E.G. 1998. Mapping breeding range structure of Tundra waders in Russia. p. 145-151. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10: 145-151.
- Lappo, E.G. & P. S. Tomkovich. 1998. Breeding distribution of Dunlin *Calidris alpina* in Russia. p. 152-169. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10.
- Laursen, K. 2005. Curlews in the Wadden Sea - effects of shooting protection in Denmark. In: J. Blew & P. Stålbeck (eds.). migratory waterbirds in the Wadden Sea 1980-2000. Wadden Sea Ecosystem 20. TMAP Common Wadden Sea Secretariat, Wilhelmshaven.
- Lawton, J.H. 2007. Ecology, politics and policy. J. Applied Ecol. 44:465-474.
- Lebedeva, E.A. 1998. Waders in agricultural habitats of European Russia. p. 315-324. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10.
- Lee, P.L.M. & R. Griffiths. 2003. Sexing errors among museum skins of a sexually monomorphic bird, the Moorhen *Gallinula chloropus*. Ibis 145: 695-698.
- Leslie, R. & C.M. Lessells. 1978. The migration of Dunlin *Calidris alpina* through northern Scandinavia. Ornis Scand. 9: 84-86.
- Lindström, Å. & T. Piersma. 1993. Mass changes in migrating birds: the evidence for fat and protein storage re-examined. Ibis 135: 70-78.
- Lindström, Å., A. Kvist, T. Piersma, A. Dekinga & M.W. Dietz. 2000. Avian pectoral muscle size rapidly tracks body mass changes during flight, fasting and fuelling. J. Experimental Biology 203: 913-919.
- Lissimore, D., M.J.F. Lemon, D.B. Lank, R.W. Butler & R.C. Ydenberg. 1999. Large and consistent body mass differences of migrant *Calidris* sandpipers at adjacent stopover sites: phenomenon and possible explanations. Wader Study Group Bull. 88: 55-58.
- Lopes, R.J., J.C. Marques & L. Wennerberg. 2006. Migratory connectivity and temporal segregation of Dunlin *Calidris alpina* in Portugal: evidence from morphology, ringing recoveries and mtDNA. J. Ornithol. 147: 385-394.
- Løvenskiold, H.L. 1954. Studies on the Avifauna of Spitsbergen. Norsk Polarinstitut Skrifter 103: 62-69.
- Low, G.C. 1938. The supposed races of the Grey- or Black-bellied Plover (*Squatarola squatarola*). Ibis 14: 154-158.
- LPO-BirdLife France. 2007. Mid winter count database-International Waterbird Census in France. Ligue pour la Protection des Oiseaux, Rochefort.



- Maclean, S.F. & R.T. Holmes. 1971. Bill lengths, wintering areas and taxonomy of North American Dunlins, *Calidris alpina*. Auk 88: 893-901.
- Madsen, J., G. Cracknell & T. Fox (eds.). 1999. Goose populations of the western Palearctic. A review of status and distribution. Wetlands International Publ. No. 48, Wageningen, The Netherlands. National Environmental Research Institute, Rönne, Denmark.
- Mascher, J.W. 1971. A plumage-painting study of autumn Dunlin *Calidris alpina* migration in the Baltic and North Sea areas. Ornis Scand. 2:27-33.
- Mason, C.F. 1988. Parallel changes in numbers of waders and geese. Bird Study 36: 80-82.
- Meissner, W. 2000. Autumn migration of the Redshank (*Tringa t. totanus*) in the region of the Gulf of Gdansk (Poland). Vogelwarte 40: 179-188.
- Meissner, W. 2005. Variation in timing of the Siberian Knot *Calidris c. canutus* autumn migration in the Puck Bay region (southern Baltic). Acta Ornithol. 40: 95-101.
- Meissner, W. 2007a. Stopover strategy of adult and juvenile Red Knots *Calidris c. canutus* in the Puck Bay, southern Baltic. Ardea 95: 97-104.
- Meissner, W. 2007b. Different timing of autumn migration of two Ringed Plover *Charadrius hiaticula* subspecies through the southern Baltic revealed by biometric analysis. Ringing & Migration 23: 129-133.
- Meissner, W. & P. Kamont. 2005. Seasonal changes in body size and mass of Red Knots *Calidris canutus* during autumn migration through southern Baltic. Ornis Svecica 15: 97-104.
- Meltofte, H. 1976. Ornithological Observations in southern Peary Land, North Greenland, 1973. Medd. Grønland. 205: 1-57.
- Meltofte, H. 1979. The population of waders, Charadriidae, at Danmarks Havn, Northeast Greenland, 1975. D.O.F.T. 73:69-94.
- Meltofte, H. 1991. The northern Dunlin puzzle. Wader Study Group Bull. 62: 15-17.
- Meltofte, H. 1993. Vadfugletrækket gennem Danmark. D.O.F.T. 87: 1-180.
- Meltofte, H., J. Blew, J. Frikke, H.-U. Rösner & C.J. Smit. 1994. Numbers and distribution of waterbirds in the Wadden Sea. IWRB Publ. 34, Slimbridge/ Wader Study Group Bull. 74 special issue.
- Ministerie van Landbouw, Natuurbeheer en Visserij. 1990. Natuurbeleidsplan. Den Haag.
- Minton, C.D.T. 1971. Wader Ageing Guide. Wader Study Group, Tring.
- Minton, C.D.T. 2003. The importance of long-term monitoring of reproduction rates in waders. Wader Study Group Bull. 100: 178-182.
- Mischenko, A.L. & O.V. Sukhanova. 1998. Waders of the Novgorod region: peculiarities of their distribution and important breeding areas. p. 285-290. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10.
- Morozov, V.V. 1998. Distribution of breeding waders in the Northeast European Russian



- tundras. P. 186-194. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10: 186-194.
- Morrison, R.I.G. 1975. Migration and morphometrics of European Knot and Turnstone on Ellesmere Island, Canada. *Bird-Banding* 46:290-301.
 - Morrison, R.I.G. & J.R. Wilson. 1972. Cambridge Iceland Expedition 1971. Cambridge, England.
 - Morrison, R.I.G., N.C. Davidson & J.R. Wilson. 2007. Survival of the fattest: body stores on migration and survival in red knots *Calidris canutus islandica*. *J. Avian Biol.* 38: 479-487.
 - Moser, M.E. 1988. Limits to the numbers of Grey Plovers *Pluvialis squatarola* wintering on British estuaries: an analysis of long-term population trends. *J. Appl. Ecol.* 25: 473-485.
 - Moser, M.E. & M. Carrier. 1983. Patterns of population turnover in Ringed Plovers and Turnstones during their spring passage through the Solway Firth in 1983. *Wader Study Group Bull.* 39:37-41.
 - Murphy, M.E. & J.R. King. 1984. Dietary sulfur amino acid availability and molt dynamics in White-crowned Sparrows. *Auk* 101: 164-167.
 - Murphy, M.E. & J.R. King. 1992. Energy and nutrient use during moult by White-crowned Sparrows *Zonotrichia leucophrys gambelii*. *Ornis Scand.* 23: 304-313.
 - Nebel, S., T. Piersma, J. van Gils, A. Dekinga & B. Spaans. 2000. Length of stopover, fuel storage and a sex-bias in the occurrence of two subspecies of Red Knots (*Calidris c. canutus* and *islandica*) in the Dutch Wadden Sea during southward migration. *Ardea* 88: 165-176.
 - Nebel, S. & R.C. Ydenberg. 2005. Differential predator escape performance contributes to a latitudinal sex ratio cline in a migratory shorebird. *Behav. Ecol. Sociobiol.* 59: 44-50.
 - Nechaev, V.A. & P.S. Tomkovich. 1987. Noviy podvid Chyernozobika - *Calidris alpina litoralis* ssp. n. (Aves, Charadriidae) s Sachalina. *Zool. Zhurn.* 66: 1110-1113.
 - Nechaev, V.A. & P.S. Tomkovich. 1988. [A new name for Sakhalin Dunlin (Aves, Charadriidae).] In Russian. *Zool. Zhurn.* 67: 1596.
 - Nicoll, M., R. Rae, R.W. Summers, K.-B. Strann, K. Brockie. 1991. The biometrics of Norwegian and Svalbard Purple Sandpipers *Calidris maritima*. *Ring. & Migr.* 12: 67-71.
 - Nieboer, E. 1972. Preliminary notes on the primary moult in Dunlins *Calidris alpina*. *Ardea* 60: 112-119.
 - Nieboer, E. 2005. Schiermonnikoog, spil in de jaarcyclus van arctische steltlopers. In: Stuurgroep Avifauna Schiermonnikoog (red.). Vogels van Schiermonnikoog, gezien - geteld - opgetekend. Uniepers, Abcoude.
 - Nieboer, E., J. Cronau, R. de Goede, J. Letschert & T. van der Have. 1985. Axillary feathers colour patterns as indicators of breeding origin of Bar-tailed Godwits. *Wader Study Group Bull.* 45: 34.



- Nikiforov, M.V. 1998. Current distribution and population trends of some rare waders in Belarus. p. 282-284. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10.
- Nikolaev, V.I. 1998. The importance of the peatlands of the Upper Volga area as habitats for breeding waders. p. 291-298. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10.
- Norušis, M.J. 1992a. SPSS/PC+TM Base System User's Guide. Version 5.0. SPSS Inc. Chicago.
- Norušis, M.J. 1992b. SPSS/PC+TM Professional StatisticsTM. Version 5.0. SPSS Inc. Chicago.
- Norušis, M.J. 1992c. SPSS/PC+TM Advanced StatisticsTM. Version 5.0. SPSS Inc. Chicago.
- Norušis, M.J. 1998. SPSS 8.0 Guide to Data Analysis. Prentice Hall. New Jersey.
- Nottrot, F. 1981. Rui, biometrie en herkomst van de zilverplevier *Pluvialis squatarola* L. in het Nederlandse Waddengebied. Student report Free University, Amsterdam.
- Numerical Algorithms Group, 2004. NAG Fortran Library Chapter Introduction E04 - Minimizing or Maximizing a Function. NAG, Oxford, UK.
www.nag.co.uk/numeric/fl/manual/pdf/E04/E04_intro.pdf.
- O.A.G. Münster. 1976. Zur Biometrie des Alpenstrandläufers *Calidris alpina* in den Rieselfeldern Münster. Vogelwarte 28: 278-293.
- O.A.G. Münster. 1983. Zur Gewichtsentwicklung und Biometrie des Sichelstrandstrandläufers (*Calidris ferruginea*) in den Rieselfeldern Münster. Vogelwarte 32: 23-32.
- Ogilvie, M.A. 1963. The migrations of European Redshank and Dunlin. Wildfowl Trust 14th Ann. Rep. 1961-62: 142-149.
- Ottvall, R. & G. Gunnarsson. 2007. Morphological and molecular sex identification of Redshanks *Tring totanus*. Bird Study 54: 127-129.
- Parmelee, D.F., H.A. Stephens & R.H. Schmidt. 1967. The birds of Southeastern Victoria Island and adjacent small islands. Natl. Mus. Canada Bull. 222/78. Ottawa, Canada.
- Paulson, D. 1993. Shorebirds of the Pacific Northwest. UBC Press, Vancouver, Canada.
- Peters, J.L. 1934. Check-list of birds of the world 2. Cambridge, Massachusetts, U.S.A.
- Pienkowski, M. W. 1984. Breeding biology and population dynamics of Ringed Plovers *Charadrius hiaticula* in Britain and Greenland: nest-predation as a possible factor limiting distribution and timing of breeding. J. Zool., Lond. 202: 83-114.
- Pienkowski, M.W. & W.J.A. Dick. 1975. The migration and wintering of Dunlin *Calidris alpina* in Northwest Africa. Ornis Scand. 6:151-167.
- Pienkowski, M.W. & P. Prokosch. 1982. Wanderungsmuster von Watvögeln zwischen den Küstenvorländern West-Europas - Bericht über ein laufendes Projekt. Seevögel 3: 123-129.



- Pienkowski, M.W., C.S. Lloyd & C.D.T. Minton. 1979. Seasonal and migrational weight changes in Dunlins. *Bird Study* 26:134-148.
- Piersma, T. 1994. Close to the edge: energetic bottlenecks and the evolution of migratory pathways in Knots. PhD thesis, University of Groningen.
- Piersma, T. & N.E. van Brederode. 1990. The estimation of fat reserves in coastal waders before their departure from Northwest Africa in spring. *Ardea* 78:221-236.
- Piersma, T. & N.C. Davidson. 1992. The migrations and annual cycles of five subspecies of Knots in perspective. *W. S. G. Bull.* 64, Suppl.: 187-197.
- Piersma, T., L. Zwarts & J.H. Bruggeman. 1990. Behavioural aspects of the departure of waders before long-distance flights: flocking, vocalizations, flight paths and diurnal timing. *Ardea* 78: 157-184.
- Piersma, T. & J. Jukema. 1990. Budgeting the flight of a long-distance migrant: changes in nutrient reserve levels of Bar-tailed Godwits at successive spring staging sites. *Ardea* 78: 315-337.
- Piersma, T. & S. van de Sant. 1992. Pattern and predictability of potential wind assistance for waders and geese migrating from West Africa and the Wadden Sea to Siberia. *Ornis Svecica* 2: 55-66.
- Piersma, T. & J. Jukema. 1993. Red breasts as honest signals of migratory quality in a long-distance migrant, the Bar-tailed Godwit. *Condor* 95: 163-177.
- Piersma, P. & M. Poot. 1993. Where waders may parallel penguins: spontaneous increase in locomotor activity triggered by fat depletion in a voluntary fasting Knot. *Ardea* 81: 1-8.
- Piersma, T., P. Prokosch & D. Bredin. 1992. The migration system of Afro-Siberian Knots *Calidris canutus canutus*. *W. S. G. Bull.* 64 Suppl.: 52-64.
- Piersma, T., R. Hoekstra, A. Dekinga, A. Koolhaas, P. Wolf, P. Battley & P. Wiersma. 1993. Scale and intensity of intertidal habitat use by Knots *Calidris canutus*: in the western Wadden Sea in relation to food, friends and foes. *Neth. J. Sea Res.* 31: 331-357.
- Pollitt, M., C. Hall, S. Holloway, R. Hearn, P. Marshall, A. Musgrove, J. Robinson & P. Cranswick. 2003. The Wetland Bird Survey 2000-01 Wildfowl and Wader Counts. BTO/ WWT/ RSPB/ JNCC, Slimbridge.
- Post, E. & M.C. Forchhammer. 2001. Pervasive influence of large-scale climate in the dynamics of a terrestrial vertebrate community. *BMC Ecology* 2001: 1-5.
<http://www.biomedcentral.com/1472-6785/1/5>.
- Post, E. & M.C. Forchhammer. 2004. Synchronization of animal population dynamics by large-scale climate. *Nature* 427(6976): 697-698.
- Prater, A.J. 1974. The population and migration of Knot in Europe. *Proc. I.W.R.B.-symp.* Warsaw 1973. p. 99-113.
- Prater, A.J. 1981. *Estuary birds of Britain and Ireland*. Poyser, Calton, England.
- Prater, A.J., J.H. Marchant & J. Vuorinen. 1977. *Guide to the identification and ageing of Holarctic Waders*. BTO guide 17. BTO, Thetford.



- Prokosch, P. 1981. Bestand, Jahresrhythmus und traditionelle Nahrungsplatzbindung der Ringelgans (*Branta bernicla*) im nordfriesischen Wattenmeer. Thesis. Christian Albrechts Universität, Kiel.
- Prokosch, P. 1988. Das Schleswig-Holsteinische Wattenmeer als Frühjahrs-Aufenthaltsgebiet arktischer Watvogel-Populationen am Beispiel von Kiebitzregenpfeifer (*Pluvialis squatarola*, L. 1758), Knutt (*Calidris canutus*, L. 1758) und Pfuhlschnepfe (*Limosa lapponica*, L. 1758). *Corax* 12: 273-442.
- Prokosch, P., E. Nowak & H. Hötter. 1993. Bericht über die Deutsch-Russischen Biologen-Expeditionen zur Taimyr-Halbinsel in den Jahren 1989, 1990 und 1991. W.W.F., Husum.
- Rappoldt, C., M. Kersten & C. Smit. 1985. Errors in large-scale shorebird counts. *Ardea* 73: 13-24.
- Redfern, C.P.F. 1998. The analysis of primary moult using feather mass. *Ringings & Migr.* 19: 39-40.
- Reneerkens, J., T. Piersma & B. Spaans. 2005. De Waddenzee als kruispunt van vogeltrekwegen. NIOZ-report 2005 - 4. NIOZ, Texel.
- Robertson, B.C., E.O. Minot & D.M. Lambert. 1999. Molecular sexing of individual kakapo, *Strigops habroptilus* Aves, from faeces. *Molecular Ecology* 8: 1349-1350.
- Rönkä, A., L. Kvist, J. Karvonen, K. Koivula, V. Pakanen, D. Schamel & D. Tracy. 2007. Population genetic structure in the Temminck's Stint *Calidris temminckii*, with emphasis on the Fennoscandian populations. *Conservation Genetics* DOI 10.1007/s10592-007-9299-x.
- Roomen, M.W.J. van, E.A.J. van Winden, K. Koffijberg, B. Voslammer, R. Kleefstra, G. Ottens & SOVON Ganzen- en Zwanenwerkgroep. 2002. Watervogels in Nederland in 2000/2001. RIZA-rapport BM02.15/ SOVON-monitoringrapport 2002/04. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.
- Roomen, M. van, E. van Winden, K. Koffijberg, R. Kleefstra, G. Ottens, B. Voslammer & SOVON Ganzen- en Zwanenwerkgroep. 2003. Watervogels in Nederland in 2001/2002. RIZA-rapport BM04.01/ SOVON-monitoringrapport 2004/01. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.
- Roomen, M. van, E. van Winden, K. Koffijberg, A. Boele, F. Hustings, R. Kleefstra, J. Schoppens, C. van Turnhout, SOVON Ganzen- en Zwanenwerkgroep & L. Soldaat. 2004. Watervogels in Nederland in 2002/2003. RIZA-rapport BM04.09/ SOVON-monitoringrapport 2004/02. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.
- Roomen, M. Van, C. Van Turnhout, E. Van Winden, B. Koks, P. Goedhart, M. Leopold & C. Smit. 2005. Trends van benthivore watervogels in de Nederlandse Waddenzee 1975-2002: grote verschillen tussen schelpdiereneters en wormeneters. *Limosa* 78: 21-38.
- Roomen, M. Van, E. Van Winden, F. Hustings, K. Koffijberg, R. Kleefstra, SOVON Ganzen- en Zwanenwerkgroep & L. Soldaat, 2006a. Watervogels in Nederland in 2003/2004. RIZA-rapport BM05.15/ SOVON-monitoringrapport 2005/03. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.



- Roomen, M. Van, E. Van Winden, K. Koffijberg, B. Ens, F. Hustings, R. Kleefstra, J. Schoppers, C. Van Turnhout, SOVON Ganzen- en Zwanenwerkgroep & L. Soldaat, 2006b. Watervogels in Nederland in 2004/2005. RIZA-rapport BM06.14/ SOVON-monitoringrapport 2006/02. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.
- Rose, P.M. & D.A. Scott. 1997. Waterfowl Population Estimates. Wetlands International, Wageningen.
- Roselaar, C.S. 1979. Fluctuaties in aantallen krombekstrandlopers *Calidris ferruginea*. Watervogels 4: 202-210.
- Roselaar, C.S. 1983. Subspecies recognition in Knot *Calidris canutus* and occurrence of races in Western Europe. Beaufortia 33(7): 97-109.
- Rösner, H.-U. 1990. Sind Zugmuster und Rastplatzansiedlung des Alpenstrandläufers (*Calidris alpina alpina*) abhängig vom Alter? J. Orn. 131: 121-139.
- Rösner, H.-U. 1997. Strategien von Zug und Rast des Alpenstrandläufers (*Calidris alpina*) im Wattenmeer und auf dem Ostatlantischen Zugweg. Shaker Verlag, Aachen.
- Russello, M.A. & G. Amato. 2001. Application of a noninvasive PCR-based test for sex identification in an endangered parrot, Amazona guildingii. Zoo Biology 20: 40-45.
- Ryabitshev, V.K. & N.S. Alekseeva. 1998. Nesting density dynamics and site fidelity of waders on the middle and northern Yamal. p. 195-200. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10: 195-200.
- Rybkin, A.V. 1998. Lemming density in Taimyr tundra and its influence on reproduction of birds. p. 207-213 in: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10.
- Samigullin, G.M. 1998. Migration, breeding and population size of Curlew *Numenius arquata* in Orenburg Region, Russia. p. 325-328 in: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10.
- Saris, F. (ed.) 2007. Een eeuw vogels beschermen. KNNV-Uitgeverij, Zeist.
- Saunders, S.A. & M.A. Katzenberg (eds.) 1992. Skeletal Biology of Past Peoples: Research Methods. Wiley-Liss, New York.
- Scheiffarth, G. 2003. Born to fly - Migratory strategies and stopover ecology in the European Wadden Sea of a long-distance migrant, the Bar-tailed Godwit (*Limosa lapponica*). PhD thesis Christian-Albrechts Universität, Kiel.
- Scheiffarth, G., S. Wahls, C. Ketzenberg & K.-M. Exo. 2002. Spring migration strategies of two



- populations of Bar-tailed Godwits (*Limosa lapponica*) in the Wadden Sea: time minimizers or energy minimizers? *Oikos* 96: 346-354.
- Schekkerman, H. & M. van Roopen. 1995. Breeding waders at Pronchishcheva Lake, northeastern Taymyr, Siberia, in 1991. WIWO-report 55. WIWO Foundation, Zeist.
 - Serra, L. 2000. How do Palearctic Grey Plovers adapt primary moult to time constraints? An overview across four continents. *Wader Study Group Bull.* 93: 11-12.
 - Serra, L. 2001. Duration of primary moult affects primary quality in Grey Plovers *Pluvialis squatarola*. *J. Avian Biol.* 32: 377-380.
 - Serra, L. & R. Rusticali. 1998. Biometrics and moult of Grey Plovers (*Pluvialis squatarola*) wintering in northeastern Italy. *Vogelwarte* 39:281-292.
 - Serra, L., Baccetti, N., Cherubini, G. & Zenatello, M. 1998. Migration and moult of Dunlin *Calidris alpina* wintering in the Central Mediterranean. *Bird Study* 45: 205-218.
 - Serra, L., D.A. Whitelaw, A.J. Tree & L.G. Underhill. 1999. Moult, mass and migration of Grey Plovers *Pluvialis squatarola* wintering in South Africa. *Ardea* 87: 71-81.
 - Serra, L., N.A. Clark & J.A. Clark. 2006. Primary moult, body mass and migration of Grey Plovers *Pluvialis squatarola* in Britain. *Ibis* 148: 292-301.
 - Siefke, A. & T.A. Kastepold. 1985. Ringed Plover - *Charadrius hiaticula* L. p. 40-51. In: Ilyichev, V.O., J.A. Viksne & H.A. Micheljson (eds.). [Migrations of birds in eastern Europe and northern Asia.] In Russian. Gruiformes, Charadriiformes. Nauka Press, Moscow.
 - Sims, D.W., M.J. Genner, A.J. Southward, S.J. Hawkins. 2001. Timing of squid migration reflects North Atlantic climate variability. *Proc. R. Soc. Lond. B. Biol. Sci.* 268(1485): 2607-2611.
 - Smit, C.J. & T. Piersma. 1989. Numbers, mid-winter distribution and migration of wader populations using the East Atlantic Flyway. p. 24-64. In: Boyd, H. & J.-Y. Pirot (eds.). Flyways and reserve networks for water birds. IWRB Special Publication No. 9. I.W.R.B., Slimbridge.
 - Smit, C.J. & W.J. Wolff (eds.). 1981. Birds of the Wadden Sea. Wadden Sea Working Group report 6, Balkema, Rotterdam.
 - Smit, C.J. & E. Wymenga. 1989. De toepassing van biometrie voor het bepalen van de herkomst en trekroutes van bontbek- en zilverplevier. In: A.L. Spaans (red.) *Wetlands en watervogels*. Pudoc, Wageningen.
 - Smit, C.J. & P.M. Zegers. 1994. Shorebird counts in the Dutch Wadden Sea, 1980-91: a comparison with the 1965-77 period. In: M. Frederiksen & K. Dahl (eds.). 1994. Birds and their Ecology in the Wadden Sea. *Proc. 8th. Internat. Scient. Wadden Sea Symposium, Esbjerg* 1993. *Ophelia Suppl.* 6: 163-170.
 - Smith, N. G. 1969. Polymorphism in Ringed Plovers. *Ibis* 111: 177-188.
 - Snow, D.W. 1970. A guide to the moult in British birds. BTO guide, no. 11, B.T.O., Tring.
 - Soikkeli, M. 1974. Size variation of breeding Dunlins in Finland. *Bird Study* 21: 151-154.
 - Soloviev, M.Y. & P.S. Tomkovich. 1997. Body mass changes in waders (Charadrii) in a high arctic area at northern Taymyr, Siberia. *J. Orn.* 139: 271-281.



- SOVON & CBS. 2005. Trends van vogels in het Nederlandse Natura 2000 netwerk. SOVON-informatierapport 2005/09. SOVON Vogelonderzoek Nederland, Beek-Ubbergen.
- SOVON Ganzen- en Zwanenwerkgroep. 1997. Ganzen- en zwanentellingen in Nederland in 1995/96. SOVON-monitoringrapport 97/05, RIZA-rapport BM 96.20, IKC-Natuurbeheer coproductie 16. SOVON Vogelonderzoek, Beek-Ubbergen.
- SOVON Ganzen- en Zwanenwerkgroep. 1998. Ganzen- en zwanentellingen in Nederland in 1996/97. SOVON-monitoringrapport 98/06/ RIZA-rapport BM 97.17/ IKC Natuurbeheer coproductie 20. SOVON-Vogelonderzoek Nederland, Beek-Ubbergen.
- SOVON Ganzen- en Zwanenwerkgroep. 1999. Ganzen- en zwanentellingen in Nederland in 1997/98. SOVON-monitoringrapport 99/06/ RIZA-rapport BM 98.06/ IKC Natuurbeheer coproductie 24. SOVON-Vogelonderzoek Nederland, Beek-Ubbergen.
- Speek, B.J. & G. Speek. 1984. Thieme's VogeltrekAtlas. Thieme, Zutphen.
- Spiekman, H. & N. Groen. 1993. Breeding performance of arctic waders in relation to lemming densities, Northeast Taimyr, Siberia, 1992. WIWO Report 33. WIWO Foundation, Zeist.
- Stepanyan, L.S. 1990. Konspekt Ornitologicheskoy Fauni CCCP. Nauka Press, Moscow, Russia.
- Stiefel, A. & H. Scheufler. 1989. Der Alpenstrandläufer: *Calidris alpina*. Ziemsen Verlag, Wittenberg Lutherstadt.
- Stishov, M.S., V.I. Pridatko & V.V. Baranyuk. 1991. Ptitsy Ostrova Vrangelya. Nauka Press, Novosibirsk, Russia.
- Stroud, D.A. & N.C. Davidson. 2003. Catching and handling birds, and data: practical papers published in the Wader Study Group Bulletin. Wader Study Group Bull. 69, Special Issue International Wader Studies 6.
- Stroud, D.A., N.C. Davidson, R. West, D.A. Scott, L. Haanstra, O. Thorup, B. Ganter, & S. Delany (compilers) on behalf of the International Wader Study Group. 2004. Status of migratory wader populations in Africa and western Eurasia in the 1990s. International Wader Studies 15: 1-260.
- Summers, R.W. 1980. On the rate of change of moult scores in waders. Wader Study Group Bull. 28: 24.
- Summers, R.W. & L.G. Underhill. 1987. Factors related to breeding production of Brent Geese *Brenta b. bernicla* and waders (Charadrii) on the Taimyr peninsula. Bird Study 34: 161-173.
- Summers, R.W. & L.G. Underhill. 1991. The relationship between body size and time of breeding in Icelandic Redshanks *Tringa t. robusta*. Ibis 133: 134-139.
- Summers, R.W., C.J. Corse, D.P. Whitfield. 1987a. Purple Sandpiper studies in North Iceland 1986. Report Tay, Orkney and Grampian Ringing Groups, Orkney, Scotland.
- Summers, R.W., C.J. Corse, M. Nicoll, R. Smith & D.P. Whitfield. 1988a. The biometrics and wintering area of Icelandic Purple Sandpipers. Ring. & Migr. 9: 133-138.
- Summers, R.W., M. Nicoll, L.G. Underhill & A. Petersen. 1988b. Methods for estimating the proportions of Icelandic and British Redshanks *Tringa totanus* in mixed populations wintering



- on British coasts. *Bird Study* 35: 169-180.
- Summers, R.W., L.G. Underhill, C.F. Clinning & M. Nicoll. 1989. Populations, migrations, biometrics and moult of the Turnstone *Arenaria i. interpres* on the East Atlantic coastline, with special reference to the Siberian population. *Ardea* 77: 145-168.
 - Suschkin, P.P., 1925. Spisok i raspredelenie ptits russkogo Altaya. Akad. Nauk SSSR, Moscow, Russia.
 - Sutton, G.M. & D.F. Parmelee. 1955. Breeding of the Semipalmated Plover on Baffin Island. *Bird-Banding* 26: 137-47.
 - Swart, J.A.A. & J. Van Andel. 2007. Rethinking the interface between ecology and society. The case of the cockle controversy in the Dutch Wadden Sea. *Journ. Applied Ecol.* In print
 - Swennen, C.S. 1984. Differences in quality of roosting flocks of Oystercatchers. In: Evans, P.R., J.D. Goss-Custard & W.G. Hale (eds.). *Coastal waders and wildfowl in winter*. Cambridge University Press, Cambridge.
 - Sybex. 1996. Werken met SPSS 7.0 voor Windows 95. Sybex Uitgeverij, Soest.
 - Tamis, W. 1980. Een vergelijking van de populaties van de Tureluur *Tringa totanus* L. van Vlieland en Schiermonnikoog. Student Report, Free University, Amsterdam.
 - Taylor, R.C. 1980. Migration of the Ringed Plover *Charadrius hiaticula*. *Ornis Scand.* 11: 30-42.
 - Tempel, R. van den, E.R. Osieck. 1994. Belangrijke Vogelgebieden in Nederland. Technical Report Vogelbescherming Nederland 13. Vogelbescherming Nederland.
 - Thayer, H. & O. Bangs. 1914. Notes on the birds of the arctic coast of East Siberia. *Proc. N. Engl. Zool. Club* 9: 1-66.
 - Thomas, D.G. & A.J. Dartnall. 1970. Differences in size between the sexes of the Curlew Sandpiper. *Emu* 70: 89.
 - Thompson, P.M. & J.S. Ollason. 2001. Lagged effects of ocean climate change on fulmar population dynamics. *Nature* 413(6854): 417-420.
 - Thorup, O. 1998. Ynglefuglene på Tipperne 1928-1992. *Dansk Orn. Foren. Tidsskrift* 92: 1-192.
 - Tjørve, E. & K.M.C. Tjørve. 2007. Movements of Dunlins *Calidris alpina* ringed along the Norwegian coast. *Wader Study Group Bull.* 112: 37-44.
 - Tomkovich, P.S. 1985. K biologii morskogo pesochnyika na Zemlya Frantsa-Iosifa. *Ornitologiya* 20: 3-17.
 - Tomkovich, P.S. 1986. Geograficheskai izmyenchivoste chernozobikov dalenyego vostoka. *Biul. Moskv.* 91: 3-15.
 - Tomkovich, P.S. 1990. analys Geografichesko izmenchivostii Yslandskogo Pesochnika *Calidris canutus* (L.). *Byull. Mosk. Biol.* 95/5: 59-72.
 - Tomkovich, P.S. 1992. An analysis of the geographic variability in Knots *Calidris canutus* based on museum skins. *Wader Study Group Bull.* 64, Suppl.: 17-23.
 - Tomkovich, P.S. 2001. A new subspecies of Red Knot *Calidris canutus* from the New Siberian Islands. *British Ornithologists' Club Bulletin* 121: 257-263.



- Tomkovich, P.S. & L. Serra. 1999. Morphometrics and prediction of breeding origin in some holarctic waders. *Ardea* 87: 289-300.
- Tomkovich, P.S. & M.Y. Soloviev. 1996. Distribution, migrations and biometrics of Knots *Calidris canutus canutus* on Taimyr, Siberia. *Ardea* 84: 85-98.
- Tomkovich, P.S. & M.Y. Soloviev. 2000. Review of bird breeding conditions in the Arctic in 1999. *Arctic birds* 2: 12-15.
- Tomkovich, P.S. & M.Y. Soloviev. 2001. Bird breeding conditions in the Arctic in 2000. *Arctic birds* 6: 17-20. <http://www.arcticbirds.ru>.
- Tomkovich, P.S. & M.Y. Soloviev. 2002. Bird breeding conditions in the Arctic in 2001. *Arctic birds* 6. <http://www.arcticbirds.ru>.
- Tomkovich, P.S. & M.Y. Soloviev. 2003. Bird breeding conditions in the Arctic in 2002. *Arctic birds* 5. <http://www.arcticbirds.ru>.
- Tomkovich, P.S. & M.Y. Soloviev. 2004. Bird breeding conditions in the Arctic in 2003. *Arctic birds* 6. <http://www.arcticbirds.ru>.
- Tomkovich, P.S., E.G. Lappo & E.E. Syroechkovski jr. 2000. Ringing and migratory links of Taimyr waders. In: Ebbsinge B.S., Y.L. Mazourov & P.S. Tomkovich. Heritage of the Russian Arctic - research, conservation and international co-operation. Proc. Int. Sci. Willem Barents Memorial Arctic Cons. Symp., Moscow March 1998. Ecopros Publ., 2000.
- Townshend, D.J. 1982. The Lazarus syndrome in Grey Plovers. *W.S.G. Bull.* 34: 11-12.
- Tromp, G. 2001. Politiek door de Staten: doel- of waarderationeel handelen in het besloten overleg over de Wadden en het openbaar beraad over de ecologische hoofdstructuur. Proefschrift Rijksuniversiteit Groningen.
- Tubbs, C.R. 1991. The population history of Grey Plovers *Pluvialis squatarola* in the Solent, southern England. *W.S.G. Bull.* 61: 15-21.
- Tulp, I.Y.M. 2007. The arctic pulse: timing of breeding in long-distance migrant shorebirds. Thesis, University of Groningen.
- Tulp, I., L. Bruinzeel, J. Jukema & O. Stepanova. 1997. Breeding waders at Medusa Bay, western Taimyr, in 1996. WIWO-report 61. WIWO Foundation, Zeist.
- Tulp, I., H. Schekkerman, T. Piersma, J. Jukema, P. de Goeij & J. van de Kam. 1998. Breeding waders at Cape Sterlegova, northern Taimyr, in 1994. WIWO-report 61. WIWO Foundation, Zeist.
- Underhill, L.G. & A. Joubert. 1995. Relative masses of primary feathers. *Ringling & Migr.* 16: 109-116.
- Underhill, L.G. & R.W. Summers. 1993. Relative masses of primary feathers in waders. *Wader Study Group Bull.* 71: 29-31.
- Underhill, L.G. & W. Zucchini. 1988. A model for avian primary moult. *Ibis* 130: 358-372.
- Underhill, L. G., M. Waltner & R. W. Summers. 1989. Three-year cycles in breeding productivity of Knots *Calidris canutus* wintering in southern Africa suggest Taimyr Peninsula provenance. *Bird Study* 36: 83-88.



- Wernham, C., M. Toms, J. Marchant, J. Clark, G. Siriwardena & S. Baillie (eds.). 2002. The Migration Atlas: movements of the birds of Britain and Ireland. T. & A.D. Poyser, London.
- Wetlands International. 2006. Waterbird population estimates - fourth edition. Wetlands International, Wageningen, The Netherlands.
- Whitfield, D.P. 2003. Redshank *Tringa totanus* flocking behaviour, distance from cover and vulnerability to Sparrowhawk *Accipiter nisus* predation. J. Avian Biol. 34: 163-169.
- Whitfield, D.P., J.J. Brade, R.W. Burton, K.W. Hankinson & S. Young. 1996. The abundance of breeding Knot *Calidris canutus islandica*. Bird Study 43: 290-299.
- Winsemius, P. 1986. Gast in eigen huis - beschouwingen over milieumanagement. Samsom H.D. Tjeenk Willink, Alphen aan de Rijn.
- Wilson, J.R. 1981. The migration of high arctic shorebirds through Iceland. Bird Study 28: 21-32.
- Wilson, J.R., M.A. Czajkowski, M.W. Pienkowski. 1980. The migration through Europe and wintering in West Africa of the Curlew Sandpiper. Wildfowl 31: 107-122.
- Wits, B.F. 1982. Waders. In: Report of the Joint Services Expedition to Princess Marie Bay, Ellesmere Island, 1980.
- Wolf, P., N. Rabehl & J. Kamphues. 2003. Investigations on feathering, feather growth and potential influences of nutrient supply on feathers' regrowth in small pet birds (canaries, budgerigars and lovebirds). J. Anim. Physiol. Nutrition (Berlin) 87: 134-141
- Wymenga, E., M. Engelmoer, C.J. Smit & T.M. van Spanje. 1990. Geographical breeding origin and migration of waders wintering in West Africa. Ardea 78: 83-113.
- Wynne-Edwards, V.C. 1952. Zoology of the Baird Expedition (1950) I. The birds observed in Central and South-East Baffin Island. Auk 69: 353-391.
- Ydenberg, R.C., R.W. Butler, D.B. Lank, C.G. Guglielmo, M. Lemon & N. Wolf. 2002. Trade-offs, condition dependence and stopover site selection by migrating sandpipers. J. Avian Biol. 33: 47-55.
- Ydenberg, R.C., R.W. Butler, D.B. Lank, B.D. Smith & J. Ireland. 2004. Western Sandpipers have altered migration tactics as Peregrine falcon populations have recovered. Proc. R. Soc. Lond. B 271: 1263-1269.
- Yesou, P., I.I. Chupin, V.I. Grabovsky. 1992. Notes on the breeding biology of the Bar-tailed Godwit *Limosa lapponica* in Taimyr. Wader Study Group Bull. 66: 45-47.
- Zegers, P.M. 1985. Vogeltellingen in het Nederlandse deel van de Waddenzee 1976-1979. Report National Forest Service 85-10, Utrecht, The Netherlands.
- Zegers, P.M. & N.D. Kwint. 1992. Vogeltellingen in het Nederlandse deel van het Waddengebied 1979-90. SOVON-report 1992/14. SOVON, Beek-Ubbergen.
- Zeiske, O. 1992. Die Rastbestände des Sichelstrandläufers *Calidris ferruginea* (Pont.) in den Nördlichen Küstenvorländern des Elbe-ästuars. Zoologischen Institut und Zoologischen Museum der Universität Hamburg.



- Underhill, L.G., R.P. Pr s-Jones, E. E. Syroechkovski jr., N.M. Groen, V. Karpov, H.G. Lappo, M.W.J. van Roomen, A. Rybkin, H. Schekkerman, H. Spiekman & R.W. Summers. 1993. Breeding of waders (Charadrii) and Brent Geese *Branta bernicla bernicla* at Pronchishcheva Lake, northeastern Taimyr, Russia, in a peak and a decreasing lemming year. *Ibis* 135: 277-292.
- Underhill, L.G., A.J. Tree, H.D. Oschadleus & V. Parker. 1999. Review of ring recoveries of waterbirds in southern Africa. Cape Town: Avian Demography Unit, University of Cape Town.
- Underhill, L.G., P.S. Tomkovich & J.A. Harrison (eds.). 2006. The annual cycle of the Curlew Sandpiper *Calidris ferruginea*. International Wader Studies 19. Wader Study Group, U.K.
- Uttley, J.D., C.J. Thomas, N.C. Davidson, K.-B. Stramm & P.R. Evans. 1987. The spring migration system of Nearctic Knots *Calidris canutus islandica*: a re-appraisal. Wader Study Group Bull. 49, Suppl.: 80-84.
- Vähätalo, A.V., K. Rainio, A. Lehikoinen & E. Lehikoinen. 2004. Spring arrival of birds depends on the North Atlantic Oscillation. *J. Avian Biol.* 35: 210-216.
- Väisänen, R.A. 1969. Evolution of the Ringed Plover (*Charadrius hiaticula* L.) during the last hundred years in Europe. *Ann. Ac. Scient. Fenn. Series A. IV. Biol.* 149.
- Valle, R. & F. Scarton. 1996. Status and distribution of Redshank *Tringa totanus* breeding along Mediterranean coasts. Wader Study Group Bull. 81: 66-70.
- Vark, G.N. van & W.W. Howells (eds.) 1984. Multivariate Statistical Methods in Physical Anthropology. Reidel, Dordrecht.
- Vaurie, C. 1964. Systematic notes in Palearctic birds. No. 53. Charadriidae: the genera *Charadrius* and *Pluvialis*. *Am. Mus. Novit.* 2177: 1-22.
- Vaurie, C. 1965. The birds of the Palaearctic fauna; non-passeriformes. Witherby, London, U.K.
- Verhulst, S., K. Oosterbeek, A.L. Rutten & B.J. Ens. 2004. Shellfish fishery severely reduces condition and survival of oystercatchers despite creation of large marine protected areas. *Ecology and Society* 9(1): art. 17.
- Vik, J.O., N.C. Stenseth, G. Tavecchia, A. Myserud & O.C. Lingjaerde. 2002. Ecology: living in synchrony on Greenland coasts? *Nature* 427(6976):697-698.
- Visser, H. 2002. Detectie van Milieuveranderingen. Een toepassing van structurele tijdreeksmodellen en het Kalmanfilter. RIVM rapport 550002002/2002. RIVM, Bilthoven NL.
- Weber, T.P. & A.J. Houston. 1997. Flight costs, flight range and the stopover ecology of migrating birds. *J. Anim. Ecol.* 66: 297-306.
- Wenink, P.W., A.J. Baker & M.G.J. Tilanus. 1993. Hypervariable control region sequences reveal global population structuring in a long-distance migrant shorebird, the Dunlin (*Calidris alpina*). *Proc. Natl. Acad. Sci. USA.* 90: 94-98.
- Wenink, P.W., A.J. Baker, H.-U. Rösner & M.G.J. Tilanus. 1996. Global mitochondrial DNA phylogeography of holarctic breeding Dunlin (*Calidris alpina*). *Evolution* 50: 318-330.
- Wennerberg, L., N.M.A. Holgren, P.-E. Jönsson & T. von Schantz. 1999. Genetic and morphological variation in Dunlin *Calidris alpina* breeding in the Palearctic tundra. *Ibis* 141: 391-398.



- Zekhuis, M.J. & D. Tempelman (eds.) 1998. Breeding birds of the Albanian wetlands, spring 1996. WIWO-report 64. WIWO Foundation, Zeist.
- Zubakin, V.A., Sviridova, T.V., Kontorschikov, V.V., Grinchenko, O.S., Smirnova, E.V., Volkov, S.V., Krasnova, E.D. & Kreindlin, M.L. 1998. Rare breeding waders of the Moscow region: distribution and numbers. p. 303-308. In: Hötter, H., E. Lebedeva, P.S. Tomkovich, J. Gromadzka, N.C. Davidson, J. Evans, D.A. Stroud & R.B. West (eds.). Migration and international conservation of waders. Research and conservation on North Asian, African and European flyways. International Wader Studies 10.
- Zwarts, L., B.J. Ens, M. Kersten & T. Piersma. 1990. Moults, mass and flight range of waders ready to take off for long-distance migrations. *Ardea* 78: 339-364.
- Zwarts, L., J.B. Hulscher, K. Koopman & P.M. Zegers. 1996a. Discriminating the sex of Oystercatchers *Haematopus ostralegus*. *Ardea* 84A: 1-12.
- Zwarts, L., J.B. Hulscher, K. Koopman & P.M. Zegers. 1996b. Body weight in relation to variation in body size of Oystercatchers *Haematopus ostralegus*. *Ardea* 84A: 21-28.
- Zwarts, L., J.B. Hulscher, K. Koopman, T. Piersma & P.M. Zegers. 1996c. Seasonal and annual variation in body weight, nutrient stores and mortality of Oystercatchers *Haematopus ostralegus*. *Ardea* 84A: 327-356.
- Zwarts, L., J.B. Hulscher, K. Koopman & P.M. Zegers. 1996d. Short-term variation in the body weight of Oystercatchers *Haematopus ostralegus*: effect of exposure time by day and night, temperature and wind force. *Ardea* 84A: 357-373.